

INVIVYD care



Now that your doctor has prescribed PEMGARDA, once you enroll in Invivyd Care, **your Invivyd Care Case Manager will contact you to help you get started.**

EMERGENCY USE AUTHORIZATION (EUA) FOR PEMGARDA®


PEMGARDA has not been approved, but has been authorized for emergency use by FDA under an EUA, for pre-exposure prophylaxis of COVID-19 in certain adults and adolescent individuals (12 years of age and older weighing at least 40 kg); and

The emergency use of PEMGARDA is only authorized for the duration of the declaration that circumstances exist justifying the authorization of the emergency use of drugs and biological products during the COVID-19 pandemic under Section 564(b)(1) of the Act, 21 U.S.C. § 360bbb-3(b)(1), unless the declaration is terminated or authorization revoked sooner.

An Emergency Use Authorization, or EUA, allows the FDA to make certain medical product available during a public health emergency before they are fully approved.

Welcome to Invivyd Care

Invivyd Care is here to help you along every step of your journey with **PEMGARDA® (pemivibart)** injection for infusion.



What is Invivyd Care?

Invivyd Care is dedicated to keeping you informed and providing personalized support as you begin PEMGARDA.

Once enrolled, you will be assigned an Invivyd Care Case Manager who will be your primary point of contact during your journey with PEMGARDA.

Your Invivyd Care Case Manager is specifically trained to help you understand your insurance coverage and provide logistical support for PEMGARDA as prescribed by your doctor.

Additionally, our Patient Savings Program provides co-pay assistance for eligible commercially insured patients* to help reduce the costs for PEMGARDA.



How can Invivyd Care help?

Your Invivyd Care Case Manager can assist with:

- Providing education on your insurance coverage for PEMGARDA
- Identifying site-of-care options (SOC) that are in-network with your insurance†
- Sending infusion reminders
- Providing information about out-of-pocket costs*
- Offering co-pay assistance with out-of-pocket expenses for eligible commercially insured patients*

*Use of the Patient Savings Program is not permitted for prescriptions reimbursed under Medicare, Medicaid, Medigap, VA, DoD, CHAMPUS, TRICARE, or other federal or state health programs (such as medical assistance).

†Information regarding potential infusion centers is based on the publicly accessible Invivyd Infusion Center Locator Directory.

Visit <https://pemgarda.com/patient/infusion-center-locator/> for more information and accompanying notices.



The first step to getting started is making sure we have your consent through a completed enrollment form.



Scan the QR code to complete the enrollment form.

Once we receive your enrollment form you should receive a call from Invivyd Care within 24 business hours.



You may receive a call from Invivyd Care. This call may come from an unidentified toll-free number. **Be sure to answer your phone or return the call.**



You may receive an email from Invivyd Care. This email will come from email InvivydCare@7bspecialty.com. **Please respond to this email to get started.**

If you do not receive a call or email within 48 hours, contact Invivyd Care at 844-VYD-2220 (844-893-2220) to speak with an Invivyd Care Case Manager.

Your Invivyd Care Case Manager will provide an overview of the program and support provided and answer any questions you might have.

You can also reach out to our case team members who are available to assist you.



844-VYD-2220 (844-893-2220)
(Monday-Friday, 8AM - 8PM ET)



(855) 233-1706




InvivydCare@7bspecialty.com



invivydcare.com

What to expect in your Invivyd Care Journey



Remember: Invivyd Care is here to help. If there is missing information, we will contact you. Please answer your phone to avoid delays in starting PEMGARDA.

Invivyd Care
contact info

Notes

My Invivyd Care Case Manager: _____

Phone: _____ Email: _____

Infusion Site: _____

KEEP TRACK OF YOUR INFUSION DATES HERE:

_____	_____
_____	_____
_____	_____

NOTES:

Questions? Call **844-VYD-2220 (844-893-2220)** or visit **invivydcare.com**

Please see back cover for full Important Safety Information.

INVIVYD care

is here to help!



Invivyd Care is here to help you understand your insurance benefits, learn about your site-of-care options, and educate you on co-pay assistance options that you may be eligible for.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about PEMGARDA® (pemivibart) injection for infusion?

PEMGARDA may cause serious side effects, including:

A serious allergic reaction called anaphylaxis. Anaphylaxis can be life-threatening and can happen during or after your infusion of PEMGARDA. In case you have a severe allergic reaction to PEMGARDA and need medical help right away, you will receive PEMGARDA in a healthcare setting. Your healthcare provider will monitor you for allergic reactions during your infusion and for at least 2 hours after you are finished receiving PEMGARDA. Your healthcare provider will stop PEMGARDA right away if you develop signs of symptoms of anaphylaxis or severe allergic reaction. **Tell your healthcare provider right away if you get any of the following signs or symptoms of anaphylaxis during or after your infusion of PEMGARDA:**

• itching • flushing • hives • skin redness • swelling of your face, lips, mouth, tongue, throat, hands, or feet • sweating • dizziness • ringing in the ears • wheezing • trouble breathing • chest discomfort • fast heartbeat

What is PEMGARDA?

PEMGARDA is an investigational medicine that is used for pre-exposure prophylaxis to help prevent COVID-19 in adults and children 12 years of age and older who weigh at least 88 pounds (40kg) who:

- are **not** currently infected with SARS-CoV-2 and who have **not** been known to be exposed to someone who is infected with SARS-CoV-2 **and**
- have moderate-to-severe immune compromise because of a medical condition or because they receive medicines or treatments that suppress the immune system, **and** they are unlikely to have an adequate response to COVID-19 vaccination.

What should I tell my healthcare provider before I receive PEMGARDA?

Tell your healthcare provider about all of your medical conditions, including if you:

- Have any allergies, including if you have had a severe allergic reaction to COVID-19 vaccine or PEMGARDA.
- Are pregnant or plan to become pregnant. It is not known if PEMGARDA can harm your unborn baby.
- Are breastfeeding or plan to breastfeed. It is not known if PEMGARDA can pass into your breast milk. Talk to your healthcare provider about the best way to feed your baby if you receive PEMGARDA.
- Have any serious illnesses.
- Take any medicines including prescription, over-the-counter, vitamins, and herbal products.

Who should generally not take PEMGARDA?

Do not take PEMGARDA if you have had a severe allergic reaction to PEMGARDA or any ingredient in PEMGARDA.

What are the important possible side effects of PEMGARDA?

- See “**What is the most important information I should know about PEMGARDA?**”
- **Allergic and infusion-related reactions:** Allergic and infusion-related reactions are common and can sometimes be severe or life-threatening. Allergic and infusion-related reactions can happen during and after your infusion of PEMGARDA. You may have an increased risk of allergic reaction with PEMGARDA if you have had a severe allergic reaction to a COVID-19 vaccine. Your healthcare provider will monitor you for 2 hours after you receive PEMGARDA.

Tell your healthcare provider right away if you get any of the following signs and symptoms of an allergic or infusion related reaction during or after your infusion of PEMGARDA:

• fever • trouble breathing or shortness of breath • chills • tiredness • fast or slow heart rate, • chest pain or discomfort, • weakness • confusion • nausea • headache • throat tightness or irritation • high or low blood pressure • swelling of your face, lips, mouth, tongue, throat, hands, or feet; • rash, including hives, • itching • muscle aches • feeling lightheaded, faint, or dizzy • sweating

The side effects of receiving any medicine by vein (IV) may include pain, redness, bleeding, bruising of the skin, soreness, swelling, and possible infection at the infusion site.

The most common side effects in people treated with PEMGARDA who have moderate-to-severe immune compromise include allergic and infusion-related reactions, infusion site reactions, common cold, viral infection, flu-like illness, tiredness, headache, and nausea.

Please scan the QR code to
see the Fact Sheet for Patients,
Parents, and Caregivers.



INVIVYD INC.